




# LED Vapor Proof Light



## Product Appearance



SUITABLE FOR  
**WET**  
LOCATIONS

## Product Features

- 1. High-diffusion light-milky PC diffuser
- 2. Grey PC plastic housing with UV rating
- 3. 0.5mm steel sheet gear tray with white powder coated
- 4. 5 year warranty
- 5. All electrical component are UL approved, input voltage from 120-277V
- 6. LED Driver UL/CUL 120-277 0-10 LED driver
- 7. ETL listed, with LM79 y LM80
  
- 8. High luminous efficacy 120 lm/w
- 9. Suitable for dry/damp location
  
- 10. Installation: Recessed of suspended


## Packaing

Model No.	Outer box L x W x H(mm)	Qty/Ctn (pcs)	N.W ( KG )	G.W ( KG )
C2103-2FT	680x 305x 250	6	7.8	8.5
C2103-4FT	1280 x 305 x 250	6	13	14.6
C2103-8FT	2470 x 210 x 250	4	16	18




# Specification *3 Wattage + 4 CCT Tunable*

Model	Power	Input Voltage	Input Current	LxWxH (mm)	Luminous Flux	Luminous Efficacy	CCT	Ra	Pf	Warranty
C2103-252F	15W	AC120-277V	0.13A	23.6X4.33X3.46"	1950 LM	130 LM/W	3000K 3500K 4000K 5000K	>80	>0.9	5 YEARS
	20W		0.17A		2600 LM					
	25W		0.21A		3250 LM					
C2103-504F C2103-804F	30W		0.25A	47.24X4.33X3.46"	3900 LM					
	40W		0.33A		5200 LM					
	50W		0.42A		6500 LM					
	60W		0.5A		7800 LM					
	70W		0.58A		9100 LM					
	80W		0.67A		10400 LM					
C2103-1008F	80W		0.67A	93.9X4.33X3.46"	10400 LM					
	90W		0.75A		11700 LM					
	100W		0.83A		13000 LM					

## Dimensions



# Light Distributions



ILUMIA<sup>TM</sup>

Company Name: 4 Winds International LLC

Email: [info@ilumialed.com](mailto:info@ilumialed.com)

Tel: 346 6315821 / 346 6315824

Web: [www.ilumialed.com](http://www.ilumialed.com)

Address: 600 Fallbrook Drive Houston, TX 77038